

Global Standards for Industrial Steam Iron, Silverstar has Made

Silverstar has made standards for industrial iron.
Silverstar is brand of EUNSUNG.



HISTORY

- 1972 EUNSUNG ELECTRIC IND. Established as a Private Company
- 1978 Elcetric Heating Equipment Manufacture License Achieved
- 1978 Production of Industrial Steam Irons
- 1982 Opening of US Market to Export Industrial Steam Irons
- 1991 One Million-Dollar Export Achievement Prize Awarded by Korea International Trade Association
- 1993 Ceremony for Construction of Company Premises in Shinpyeong Industrial Complex of Rural Areas in Pocheon City
- 2000 CE-Mark Achieved for ES-200
- 2000 ISO9001 Approval No. KQC-0457
- 2000 Establishment of Jiaxing EUNSUNG ELECTRIC Co., Ltd. in China
- 2001 KSA9001 Approval. KSC9201 No. 01-2078
- 2001 Three Million-Dollar Export Achievement Prize, in Celebration of Trade Day. Awarded by President of Korea
- 2003 Establishment of China Plant 1 (Jiaxing EUNSUNG ELECTRIC Co., Ltd.)
- 2006 Selected as Promising Export Firm. ISO14000:2004 Approval
- 2007 Establishment of China Plant 2, 3 (Jiaxing EUNSUNG ELECTRIC Co., Ltd.)
- 2012 Acquirement of ISO9001: 2008 Certification (Jiaxing EUNSUNG ELECTRIC Co., Ltd.)
- 2012 CE-Mark Achieved for SR-5000, SR-8000, SR-5800, SR-5800L
- 2014 CE-Mark Achieved for ES-94A, ES-94AL, ES-300, 300L
- 2018 CE-Mark and RoHS Achieved for ESE-400M, ESD-7003, ESP-600M

Contents

Gravity Iron **04** All Steam Iron **08** Steam Electric Iron **12** Silver Steamer **16** Steam Generator **18** Iron Table **20**

IRON




Gravity Iron
All Steam Iron
Steam Electric Iron



Gravity Iron

ES-300 ES-300L


Electricity 120 / 220v
Wattage ES-300 1000w, ES-300L 1300w
Weight ES-300 2.1kgs, ES-300L 2.64kgs
Base Hard Anodized Coating



- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > More comfortable urethane handle
- > A soft-touch-styled button switch of superb convenience
- > Sharper body design & modern black color
- > Improved steam quality

ES-94A ES-94AL

Electricity 120 / 220v
Wattage ES-94A 1000w, ES-94AL 1300w
Weight ES-94A 2.1kgs, ES-94AL 2.64kgs
Base Hard Anodized Coating



- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > More comfortable urethane handle
- > A soft-touch-styled button switch of superb convenience
- > Sharper body design & modern black color
- > Improved steam quality

ES-85AF

Electricity 120 / 220v
Wattage 1000w
Weight 2.3kgs
Base Hard Anodized Coating



- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > Special handle keep hands super cool
- > Hard anodized aluminum base for superior pressing

IRON




Gravity Iron
All Steam Iron
Steam Electric Iron



Gravity Iron

ES-300 ES-300L


Electricity 120 / 220v
Wattage ES-300 1000w, ES-300L 1300w
Weight ES-300 2.1kgs, ES-300L 2.64kgs
Base Hard Anodized Coating



- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > More comfortable urethane handle
- > A soft-touch-styled button switch of superb convenience
- > Sharper body design & modern black color
- > Improved steam quality

ES-94A ES-94AL

Electricity 120 / 220v
Wattage ES-94A 1000w, ES-94AL 1300w
Weight ES-94A 2.1kgs, ES-94AL 2.64kgs
Base Hard Anodized Coating



- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > More comfortable urethane handle
- > A soft-touch-styled button switch of superb convenience
- > Sharper body design & modern black color
- > Improved steam quality

ES-85AF

Electricity 120 / 220v
Wattage 1000w
Weight 2.3kgs
Base Hard Anodized Coating




- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > Special handle keep hands super cool
- > Hard anodized aluminum base for superior pressing

Gravity Iron



ES-97A

Electricity 120 / 220v
Wattage 1000w
Weight 1.96kgs
Base Hard Anodized Coating



- > A comfortable & durable handle
- > A soft-touch-styled button switch of superb convenience
- > A high-functional, heat-proofed hand protector
- > A high quality thermostat guaranteed by U/L
- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > A Temperature indicator designed specially

- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > More comfortable urethane handle
- > A soft-touch-styled button switch of superb convenience
- > Sharper body design & modern black color
- > Improved steam quality


EZ5

Electricity 120 / 220v
Wattage 1000w
Weight 1.9kgs
Base Hard Anodized Coating



ES-90A

Electricity 120 / 220v
Wattage 1000w
Weight 2.1kgs
Base Hard Anodized Coating




- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > A comfortable & durable handle
- > An impact-resistant hand protector, preventing the conduction of increased heat

- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > More comfortable urethane handle
- > A soft-touch-styled button switch of superb convenience
- > Sharper body design & modern black color
- > Improved steam quality


EZ90

Electricity 120 / 220v
Wattage 120v,1000w, 220v,1200w
Weight 2.0kgs
Base Hard Anodized Coating



ES-100

Electricity 120 / 220v
Wattage 800w
Weight 1.7kgs
Base Hard Anodized Coating




- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > More comfortable urethane handle
- > A soft-touch-styled button switch of superb convenience
- > Sharper body design & modern black color
- > Improved steam quality

- > Internationally certified electric and electronic parts used(CE, VDE, CSA, CQC)
- > More comfortable urethane handle
- > A soft-touch-styled button switch of superb convenience
- > Sharper body design & modern black color
- > Improved steam quality

EZ300

Electricity 120 / 220v
Wattage 1200w
Weight 2.1kgs
Base Hard Anodized Coating




OPTIONS



SF-100
Water-Purifying Filter
for Iron



DEMINERALIZER
This water purifier will always guarantee to remove dirt from water.




TPFE IRONING SHOE
To Prevent The Shining Mark On Fabric. In Addition, TPFE Shoes Offer Soft And Good Pressing.



BSP-600

Weight 1.67kgs
Steam valve type Push Type
Usage Finishing
Cover Existence Inclusion




- > All stainless steel base
- > high reliance steam body
- > Urethane handle
- > Up grade waste water valve
- > Steam volume adjustment
- > Zipper style steam hose cover
- > Superb function & refined design

- > All stainless steel base
- > Urethane handle
- > Up grade waste water valve
- > Steam volume adjustment
- > Zipper style steam hose cover
- > Superb function & refined design

BS-6PC

Weight 1.67kgs
Steam valve type Push Type
Usage Finishing
Cover Existence Inclusion



BSP-300

Weight 1.33kgs
Steam valve type Push Type
Usage Under Pressing
Cover Existence Inclusion



- > All stainless steel base
- > high reliance steam body
- > Urethane handle
- > Up grade waste water valve
- > Steam volume adjustment
- > Zipper style steam hose cover
- > Superb function & refined design

- > All stainless steel base
- > Urethane handle
- > Up grade waste water valve
- > Steam volume adjustment
- > Refined design and easy repair
- > Zipper style steam hose cover
- > Long lasting steam valve

BS-3PC

Weight 1.35kgs
Steam valve type Push Type
Usage Under Pressing
Cover Existence Inclusion



BSS-600

Weight 1.67kgs
Steam valve type Swing Type
Usage Finishing
Cover Existence Inclusion



- > All stainless steel base
- > Long lasting steam valve
- > high reliance steam body
- > Urethane handle
- > Up grade waste water valve
- > Steam volume adjustment
- > Zipper style steam hose cover
- > Superb function & refined design

- > All stainless steel base
- > Urethane handle
- > Refined design and easy repair
- > Up grade waste water valve
- > Steam volume adjustment
- > Zipper style steam hose cover
- > Long lasting steam valve

BSP-200

Weight 1.05kgs
Steam valve type Push Type
Usage Under Pressing
Cover Existence




All Steam Iron



BS-8SC

Weight 2.64kgs
Steam valve type Swing Type
Usage Finishing
Cover Existence Inclusion




- > All stainless steel base
- > Urethane handle
- > Up grade waste water valve
- > Steam volume adjustment
- > Zipper style steam hose cover
- > Superb function & refined design

Steam Electric Iron


ES-3300M

Electricity 120 / 220v
Wattage 1300w
Weight 2.48kgs
Base Hard Anodized Coating



- > A specially treated heat-resistant hand protector, preventing completely the conduction of heat to the hand.
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > more comfortable urethane handle
- > Sharper body design

OPTIONS



TPE IRONING SHOE

To Prevent The Shining Mark On Fabric. In Addition, TPE Shoes Offer Soft And Good Pressing.



TPE HOSE

- You may choice irregular size united by feet. (6, 7, 8 feet)
- 2,000 or more per a item, you may ask us special color & length for you.

Fold Length	2	3	4
2m	•	•	•
2.5m	•	•	•
3m	•	•	•
4m	•	•	•
5m	•	•	•



STEAM HOSE COVER.

- Zipper type hose cover.
- Protect the body from the heat of the steam hose.
- Prevent damage to the steam hose




IRON DRAIN TRAP.

- Automatically drains water from iron.
- Nipple type : C, E type

ES-3300P


Electricity 120 / 220v
Wattage 1300w
Weight 2.57kgs
Base Hard Anodized Coating



- > Powerful and dry steam
- > Push steam valve type
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > more comfortable urethane handle
- > Sharper body design

ES-3200N

Electricity 120 / 220v
Wattage 1300w
Weight 2.57kgs
Base Hard Anodized Coating



- > Powerful and dry steam
- > High-quality processing(it is more suitable for thin fabric like silk)
- > Long lasting steam valve
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > Special urethane handle
- > Easy maintenance
- > Heat-protection hose & fitting

Steam Electric Iron



SE-2000

Electricity 120 / 220v
Wattage 1000w
Weight 1.9kgs
Base Aluminum




- > A specially treated heat-resistant hand protector, preventing completely the conduction of heat to the hand.
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > more comfortable urethane handle
- > Sharper body design
- > CE certification



SE-2000N

Electricity 120 / 220v
Wattage 1000w
Weight 1.9kgs
Base Aluminum



- > A specially treated heat-resistant hand protector, preventing completely the conduction of heat to the hand.
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > more comfortable urethane handle
- > Sharper body design
- > CE certification



ES-1300M

Electricity 120 / 220v
Wattage 800w
Weight 1.6kgs
Base Hard Anodized Coating



- > A specially treated heat-resistant hand protector, preventing completely the conduction of heat to the hand.
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > more comfortable urethane handle
- > Sharper body design
- > CE certification

> The SR-5 steam regulator controls the flow of steam between boiler & iron

SR-5 Steam Regulator

Electricity 120 / 220v
Weight 1.4kgs



OPTIONS



TPFE IRONING SHOE

To Prevent The Shining Mark On Fabric. In Addition, TPFE Shoes Offer Soft And Good Pressing.

TPFE HOSE

- You may choice irregular size united by feet. (6, 7, 8 feet)
- 2.000 or more per a item, you may ask us special color & length for you.

Fold Length	2	3	4
2m	•	•	•
2.5m	•	•	•
3m	•	•	•
4m	•	•	•
5m	•	•	•





STEAM HOSE COVER.

- Zipper type hose cover.
- Protect the body from the heat of the steam hose.
- Prevent damage to the steam hose

GARMENT MACHINERY



Vacuum Ironing Table
Steam Generator
Fusing Machine
Heat Transfer Machine
Mini Press



Vacuum Ironing Table

Vacuum Ironing Table

- > Table height is adjustable
- > Low noise, strong suction wind
- > Table use built-in steam natural drying ways
- > Suction system
- > A boiler outside
- > The highest quality using the best accessories

ESV-100S

Electricity 120V/220V
Vacuum motor 350W
Weight 80Kg
Dimension 1220x600x1620H



Vacuum Ironing Table

- > Table height is adjustable
- > Low noise, strong suction wind
- > Table use built-in steam natural drying ways
- > Suction system
- > A boiler outside
- > The highest quality using the best accessories

ESV-100SL

Electricity 120V/220V
Vacuum motor 350W
Weight 85Kg
Dimension 1400x650x1620H





SIT-500

Electricity 220 / 380V
 Vacuum Motor 370W
 Vacuum Pressure ≥150Pa
 Table Heating 1000W
 Buck Heating 350W
 Boiler Wattage 5KW
 Weight 98kg
 Dimension 1490x590x1120

- > Low noise, strong suction wind
- > Table use electric heat pipe drying ways
- > Suction system
- > A boiler inside
- > The highest quality using the best accessories



SIT-250

Electricity 120 / 220v
 Table Power 500w
 Table Fan Motor Power 120w
 Weight 34kgs
 Size 1450 x 380 x 600h


- > Possesses 4 level security system
- > Automatic water supply
- > Water waste system
- > A hand height adjustment
- > Vacuum system
- > Movable wheel
- > Powerful and dry steam
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)



**ESB-8806
 ESB-8809
 ESB-8812**

Steam Generator
 Electricity 220 / 380V
 Wattage 6/9/12KW
 Rated steam pressure 0.4Pa
 Rated evaporation rate 9/13/17kg/h
 Weight 64kg/65kg/66kg
 Dimension 580x580x1160H


- > Advanced technology, safety design, high performance quality
- > Manufacture high-tech, best safety
- > Attach the water tank
- > Use high-performance, high-quality parts



SR-5800

Electricity 120 / 220v
 Wattage _ Steam Generator 1300w
 Wattage _ Iron 120v / 1000w
 Wattage _ Iron 220v / 1000w
 Weight 8.5kgs
 Size 415 x 240 x 300h
 Included Iron SE-2000


- > Possesses 4 level security system
- > A notice LED for automatic water supply
- > Water waste system
- > Powerful and dry steam
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > The plastic exterior



SR-5800L

Electricity 120 / 220v
 Wattage _ Steam Generator 1500w
 Wattage _ Iron 120v / 800w
 Wattage _ Iron 220v / 1000w
 Weight 9.5kgs
 Size 415 x 240 x 355h
 Included Iron SE-2000

- > Possesses 4 level security system
- > A notice LED for automatic water supply
- > Water waste system
- > Powerful and dry steam
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > The plastic exterior



SR-5800S

Electricity 120 / 220v
 Wattage _ Steam Generator 1300w
 Wattage _ Iron 120v / 800w
 Wattage _ Iron 220v / 1000w
 Weight 10kgs
 Size 415 x 240 x 330h
 Included Iron SE-2000

- > Possesses 4 level security system
- > A notice LED for automatic water supply
- > Water waste system
- > Powerful and dry steam
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > The stainless steel exterior





SR-5800SL

Electricity 120 / 220v
 Wattage _ Steam Generator 1500w
 Wattage _ Iron 120v / 800w
 Wattage _ Iron 220v / 1000w
 Weight 11kgs
 Size 415 x 240 x 390h
 Included Iron SE-2000

- > Possesses 4 level security system
- > A notice LED for automatic water supply
- > Water waste system
- > Powerful and dry steam
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > The stainless steel exterior



SR-6000

Electricity 120 / 220v
 Wattage _ Steam Generator 1500w
 Wattage _ Iron 120v / 800w
 Wattage _ Iron 220v / 1000w
 Weight 25kgs
 Size 420 x 250 x 880h
 Included Iron SE-2000

- > Possesses 4 level security system
- > Automatic water supply
- > Water waste system
- > Powerful and dry steam
- > Movable wheel
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)

Heat Transfer Machine

- > Automatic moving plate
- > One person can operate 2 working positions
- > Production capacity & efficiency is improved
- > Teflon coated aluminum heat plate, smooth surface to protect t-shirt from ruining and easy to clean

ESH-400WN

Electricity 220V
 Wattage 3KW
 Maximum pressure 0.57mpa
 Heating board dimension 400x600mm
 Weight 176kg
 Dimension 1350x720x820H




Heat Transfer Machine

- > The machine is manually operated
- > Pressure, temperature, time have scale display, convenient operation
- > Teflon coated aluminum heat plate, smooth surface to protect t-shirt from ruining and easy to clean

ESH-250WN

Electricity 220V
 Wattage 1KW
 Maximum pressure 0.57mpa
 Heating board dimension 250x250mm
 Weight 45kg
 Dimension 800x400x15H




Heat Transfer Machine


- > The machine is manually operated
- > Pressure, temperature, time have scale display, convenient operation
- > Teflon coated aluminum heat plate, smooth surface to protect t-shirt from ruining and easy to clean

ESH-150WN

Electricity 220V
 Wattage 0.6KW
 Maximum pressure 0.57mpa
 Heating board dimension 150x150mm
 Weight 42kg
 Dimension 800x400x15H



Heat Transfer Machine



ESH-400W

Electricity 120V/220V
Wattage 3000W
Maximum pressure 0.5mpa
Heating board dimension 400X600mm
Weight 97Kg
Dimension 1050X850X950H

- > Automatic switch for safety operation
- > Using two work station around mobile use improve production efficiency
- > Pressure time and intensity of adjustable function
- > Using digital thermostat and electronic meter
- > The highest quality using the best accessories

Heat Transfer Machine



ESH-400S

Electricity 120V/220V
Wattage 2000W
Maximum pressure 0.5mpa
Heating board dimension 400X600mm
Weight 80Kg
Dimension 1050X850X950H

- > Automatic switch for safety operation
- > Using two work station around mobile use improve production efficiency
- > Pressure time and intensity of adjustable function
- > Using digital thermostat and electronic meter
- > The highest quality using the best accessories

Fusing Machine



ESF-200M

Electricity 120V/220V
Heating 5600W
Motor 50W
Fusing width 450mm
Fusing speed 8.5m/min(max)
Maximum pressure 1.5Kg/cm²(max)
Maximum temperature 200°C(max)
Weight 198Kg
Dimension 1965x1073x490H

- > Using automatic tuning device belt, double belt can be stop
- > Belt automatic stop when it stray from the right path
- > Four heating plate uniform distribution, up and down with the belt together, improve the effect of adhesion
- > The highest quality using the best accessories

Mini Press

- > Pressure adjustment
- > TPFE coating for plate
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)

ST-500

Electricity 120 / 220v
Wattage 1800w
Weight 30.5kgs
Size 660 x 400 x 440h



Mini Press

- > Use magnetic force pressure
- > Electronic control board for working condition (temperature, time)
- > Durable silicone pad
- > TPFE coating for plate
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)

ST-500A

Electricity 120 / 220v
Wattage 1800w
Weight 30.5kgs
Size 660 x 400 x 440h



SILVER STEAMER



SR-5000
SR-8000



Silver Steamer

SR-5000

Electricity 120V / 220V
Wattage Pre-Heat(200W), Steam(1350W)
Weight 8.5kgs
Measurement 560(W), 325(D), 370(H)

Steamer SR-5000, It Can Play An Excellent Function Even Under Any Kinds Of Operating Conditions By Its Quick Steam Emission

- > Energy Economy
- > Work Efficiency
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > The alarm system for water shortage

SR-8000

Electricity 120V / 220V
Wattage Pre-Heat(200W), Steam(1350W)
Weight 8.5kg
Measurement 560(W), 325(D), 370(H)

- > More elegant outlook
- > Added hanger for easy work
- > Internationally certified electric and electronic parts used(CE, VDE, UL, CSA, CQC)
- > The alarm system for water shortage



Main Use

Department Stores / Retail Stores / Boutiques / Sample Rooms /
Alteration Specialists(Tailors) / Garment Manufacturers /
Dry Cleaners / Drapery Specialists